

The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-12 (canceled)

Claim 13 (currently amended): A method for operating terminals of a mobile radio communication system, in at least one local wireless network, comprising:

storing ~~at least one~~ a plurality of items of access information on a terminal, ~~wherein~~ the access information ~~comprises~~ including at least one first item of identification information for the mobile radio communication system, and at least one second item of identification information for a local area network, ~~wherein~~ the second item of identification information ~~comprises~~ comprising:

a first item of network information indicating the location of the local area network,

~~and wherein the second item of identification information comprises~~

a second item of network information indicating the type of the local area network, and

~~wherein the second item of identification information comprises~~

a third item of network information indicating at least one third party service provided by the local area network; and

establishing a connection to a local wireless network to receive the third party service based on the stored access information.

Claim 14 (previously presented): The method according to Claim 13, wherein the second item of identification information comprises a fourth item of network information uniquely identifying the local area network.

Claim 15 (previously presented): The method according to Claim 13, wherein the first, second and/or third items of network information are encoded by means of a maximum of three decimal digits.

Claim 16 (previously presented): The method according to Claim 14, wherein the fourth item of network information is encoded by means of a maximum of five decimal digits.

Claim 17 (previously presented): The method according to Claim 13, wherein the second items of identification information are stored as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which allow the operation of the terminal within the local area network.

Claim 18 (previously presented): The method according to Claim 14, the second items of identification information are stored as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which forbid the operation of the terminal within the local area network.

Claim 19 (previously presented): The method according to Claim 13, wherein the at least first item of access information is stored on a device serving for user identification, in particular a USIM module.

Claim 20 (new): A method for operating terminals of a mobile radio communication system, in at least one local wireless network, comprising:

storing a plurality of items of access information on a terminal, the access information including at least one first item of identification information for the mobile radio communication system, and at least one second item of identification information for a local area network, the second item of identification information comprising:

a first item of network information indicating the location of the local area network,

a second item of network information indicating the type of the local area network, and

a third item of network information indicating at least one service location for accessing the local area network;

requesting a connection to the local wireless network via the terminal;

accessing the stored access information; and

establishing a connection to the local wireless network and receiving a third party service based on the stored access information.

Claim 21 (new): The method according to Claim 20, wherein the storing of the second item of identification information further includes storing a fourth item of network information uniquely identifying the local area network.

Claim 22 (new): The method according to Claim 20, wherein storing the first, second and/or third items of network information includes encoding the information in a memory using a maximum of three decimal digits.

Claim 23 (new): The method according to Claim 21, wherein the storing of the fourth item of network information includes encoding information in a memory using a maximum of five decimal digits.

Claim 24 (new): The method according to Claim 20, further comprising storing the second items of identification information as a first list organized in such a way that the first list contains those second items of identification information that are assigned to local area networks which allow the operation of the terminal within the local area network.

Claim 25 (new): The method according to Claim 20, further comprising storing the second items of identification information as a first list organized in such a way that the first list

contains those second items of identification information that are assigned to local area networks which forbid the operation of the terminal within the local area network.